

## CLAIMS

I claim:

1. A fisherman's utility rod holster, comprising:

a base formed from a first flat generally square-shaped sheet of sturdy material with leather-like qualities;

said base including an integral tab on the lower left portion of the base that is folded and secured to a back face of the base forming a first vertical channel;

a handle holding D-ring having straight portions received in said first vertical channel;

an elongated flap formed along the right side portion of said base;

a plurality of spaced vertically aligned adjustment slots formed in said base adjacent said elongated flap;

said flap being folded and secured by fastening means to the back face of said base forming an elongated vertical channel having said plurality of adjustment slots therein;

said holder including a rod support hook that is adjustably positionable within said adjustment slots of said base; and

at least two elongated slots formed in a top portion of said base above said pockets for receiving a belt.

2. The fisherman's utility rod holster according to claim 1, wherein said first sheet is formed from one of finished cowhide leather, plastic imitation leather and cloth materials.

3. The fisherman's utility rod holster according to claim 2, wherein said handle holding D-ring and said rod support hook are formed of 3/16-inch diameter steel wire.

4. The fisherman's utility rod holster according to claim 1, wherein said fastening means is one of rivets, staples, and stitching.

5. A fisherman's utility rod holster, comprising:

a base formed from a first flat generally square-shaped sheet of sturdy material with leather-like qualities;

said base including an integral tab on the lower left portion of the base that is folded and secured to a back face of the base forming a first vertical channel;

a handle holding D-ring having straight portions received in said first vertical channel;

an elongated flap formed along the right side portion of said base;

a plurality of spaced vertically aligned adjustment slots formed in said base adjacent said elongated flap;

said flap being folded and secured by fastening means to the back face of said base forming an elongated vertical channel having said plurality of adjustment slots therein;

said holder including a rod support hook that is adjustably positionable within said adjustment slots of said base;

at least two elongated slots formed in a top portion of said base above said pockets for receiving a belt; and

a second sheet formed from a sturdy material, said second sheet being folded and attached to said base by fastener means to form a first pocket and a second pocket for receiving fishing accessories.

6. The fisherman's utility rod holster according to claim 5, wherein said first and second sheets are formed from one of finished cowhide leather, plastic imitation leather and cloth materials.

7. The fisherman's utility rod holster according to claim 6, wherein said handle holding D-ring and said rod support hook are formed of 3/16-inch diameter steel wire.

8. The fisherman's utility rod holster according to claim 5, wherein said fastening means is one of rivets, staples, and stitching.

9. The fisherman's utility rod holster according to claim 5, further comprising:

a tape measure received within said second pocket such that a pull tab on the measuring tape is exposed outside said second pocket.

10. The fisherman's utility rod holster according to claim 9, further comprising:

a weighing scale received within said first pocket, said weighing scale having a hook and a holding ring; and

a grasping ring connected to said holding ring and said pull tab.

11. The fisherman's utility rod holster according to claim 10, wherein said weighing scale is an eight to fifteen pound weighing scale.

12. The fisherman's utility rod holster according to claim 11, wherein said measuring tape is 3-6 feet.

13. The fisherman's utility rod holster according to claim 12, wherein a tape hold/release button of said measuring tape is exposed above said second pocket.

14. The fisherman's utility rod holster according to claim 13, wherein said second sheet further includes an integrally formed tab on a top portion thereof; said tab having a snap fastener for cooperating with a snap fastening element on said base.